

Essential Commercial TV with Multiple Use

LT340C(NA)

LG Commercial Lite TVs are specially designed for hospitality and business. Your guests and customers will welcome the LT340C's user-friendly interfaces and superb image and video quality.




* Actual product appearance may differ from the above simulated scene.

Essential Commercial TV with Multiple Use **LT340C(NA)**

VALUE-ADDED SOFTWARE SOLUTION

SuperSign Control

SuperSign Control is a basic control software that enables oversight of up to 100 displays from one account and single server. Essential factors such as power, volume and scheduling can be adjusted remotely with supported firmware updates.



SIMPLE CONTENT MANAGEMENT

USB Data Cloning

USB data cloning enables more efficient management of multiple displays for optimal operation and viewing. For content management updates, users simply copy data to a USB in one display and then easily distribute it to other displays through a USB plug-in.



Essential Commercial TV with Multiple Use LT340C(NA)

EASIER MANAGEMENT

Real-Time Remote Monitoring

In case of malfunctions or errors, real-time remote care can be configured. If an error occurs, immediate notification is sent through the SNMP (Simple Network Management Protocol) to facilitate oversight and troubleshooting.

WOL (Wake-on-LAN)

WOL (Wake-on LAN) enables users to send a message throughout the network to power on displays.



Essential Commercial TV with Multiple Use

LT340C(NA)

BETTER USABILITY

Compatibility with AV Control Systems

This LG TV has Crestron Connected® Certification, a function that is dedicated to meeting room and that meets the growing need in corporate meeting space market.



* It is a network based control system.
Available AV control systems may differ by regions.

DPM (Display Power Management)

DPM (Display Power Management) can be configured to be On only when there is a TV signal present to manage power more efficiently.



Essential Commercial TV with Multiple Use
LT340C(NA)

VALUE ADDED FEATURES

Time Scheduler

Create your own time scheduler of your Commercial TV. Once you set opening / closing hours and holidays, the TV will turn on/off according to work schedule.






External speaker out

Enhance the entertainment experience by adding an additional speaker. Guests listen to and control the TV audio from anywhere in the business areas, including restrooms.




DIMENSION




CONNECTIVITY

49" / 43"



32H"



* Dimensions & Jack Panels (Read/Side) may differ from the above image, so please contact LG sales team to verify before ordering.

SPECIFICATIONS

		49LT340C(NA)	43LT340C(NA)	32LT340C(NA)
DESIGN	Stand Type	2 Pole	2 Pole	2 Pole
	Front Color	Ceramic BK	Ceramic BK	Ceramic BK
DISPLAY	Inch	49"	43"	32H"
	Resolution	1,920 x 1,080 (FHD)	1,920 x 1,080 (FHD)	1,366 x 768 (HD)
	Backlight Unit Type	Direct BLU	Direct BLU	Direct BLU
	Brightness (cd/m ²)	400	400	240
	BROADCASTING SYSTEM	TV Reception	ATSC / Clear QAM/VSB, Analog NTS	ATSC / Clear QAM/VSB, Analog NTS
VIDEO	HDR / HDR Dolby Vision	No	No	No
AUDIO	Audio Output	10W + 10W	10W + 10W	5W + 5W
	Speaker System	2.0 ch	2.0 ch	2.0 ch
SUPERSIGN SW COMPATIBILITY		Control and Monitoring Software (Control)		
HOSPITALITY FEATURES		USB Cloning, WOL, SNMP, Diagnostics (USB), HTNG-CEC (1.4), HDMI-CEC (1.4), Multi IR Code, PDM (Public Display Mode), Welcome Video / Screen, External Speaker Out, RJP Compatibility, Auto Off / Sleep Timer, Motion Eye Care, Chromecast Dongle Anti-theft Cover (Optional, 49 inch only), Crestron Connected® (Network Based Control), DPM, Time Scheduler		
JACK INTERFACE	Set Side	HDMI In (1.4), USB (2.0)		
	Set Rear	HDMI In (1.4), RF In, AV In, Digital Audio Out, PC Audio Input, RS-232C, RJ45, External Speaker Out		
DIMENSION (UNIT : mm)	Vesa	300 x 300	200 x 200	200 x 200
	W x H x D / Weight (with stand)	1,110 x 705 x 235 / 11.4	977 x 615 x 187 / 8.1	739 x 472 x 168 / 4.9
	W x H x D / Weight (without stand)	1,110 x 650 x 72 (81.1) / 11.3	977 x 575 x 71.7 (80.8) / 8	739 x 441 x 74.6 (84) / 4.85
	W x H x D / Weight (Shipping)	1,193 x 770 x 158 / 13.4	1,060 x 660 x 152 / 10.5	812 x 510 x 142 / 6.1
POWER (UNIT : WATTS)	Voltage, Hz	120V, 50/60Hz	120V, 50/60Hz	120V, 50/60Hz
	Typical	73W	56W	34.3W
	Stand-by	Under 0.5W	Under 0.5W	Under 0.5W

* Specifications are subject to change without notice, so please contact LG sales team to verify before ordering.



Download
LG Information Display
Mobile App

Google Play Store

www.lg.com/b2b
www.youtube.com/c/LGCommercialDisplay
www.facebook.com/LGInformationDisplay
www.linkedin.com/company/LGInformationDisplay

LG may make changes to specifications and product descriptions without notice.
Copyright © 2019 LG Electronics Inc. All rights reserved. "LG Life's Good" is a registered trademark of LG Corp.
The names of products and brands mentioned here may be the trademarks of their respective owners.

